

IN THE CLAIMS

Amended claims follow:

1. (Currently Amended) A method of distributing a computer file from a source computer to a plurality of target computers via a computer network, said method comprising the steps of:
 - determining a demand level upon said source computer for downloading of said computer file to said plurality of target computers;
 - sending at least one download controlling message from said source computer to at least one of said plurality of target computers, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses;
 - controlling downloading of said computer file by said at least one of said plurality of target computers in dependence upon said download controlling message;
 - and
 - adjusting said downloading controlling message in dependence upon said demand level;
 - wherein said download controlling message is sent from said source computer to said target computers, in order to control the manner in which said target computers request said downloading of said computer file;
 - wherein said download controlling message includes a broadcast message, said method comprising the steps of:
 - issuing said broadcast message from said source computer to said plurality of target computers indicating availability of said computer file for download from said source computer, said broadcast message including the at least one download qualifying parameter;
 - receiving said broadcast message at said plurality of target computer;

determining for each target computer of said plurality of target computers that received said broadcast message whether or not said target computer already has said computer file;

determining for each target computer that does not already have said computer file in dependence upon said at least one download qualifying parameter whether or not said target computer qualifies to download said computer file in response to said broadcast message;

downloading said computer file from said source computer to those target computers that do not already have said computer file and that qualify to download said computer file;

monitoring how many target computers download said computer file in response to said broadcast message; and

adjusting at least one download parameter used in a following broadcast message issued by said source computer in dependence upon how many target computers downloaded said computer file in response to said broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program.

2.-4. (Cancelled)

5. (Currently Amended) A method as claimed in claim 21, wherein said at least one download qualifying parameter is adjusted such that a number of target computers downloading said computer file in response to said broadcast message does not exceed a threshold level.

6. (Currently Amended) A method as claimed in claim 21, wherein each target computer has a priority level parameter indicating a position within a priority hierarchy and said at least one download qualifying parameter specifies which priority level parameters a target computer must have to qualify to download said computer file.

7. – 9. (Cancelled)

10. (Currently Amended) A method as claimed in claim 21, wherein said broadcast message includes a network address of said source computer.

11. – 13. (Cancelled)

14. (Original) A method as claimed in claim 1, wherein at least portions of said computer network comprise internet network links.

15. (Cancelled)

16. (Currently Amended) A method of sending a computer file from a source computer to a plurality of target computers via a computer network, said method comprising the steps of:

determining a demand level upon said source computer for downloading of said computer file to said plurality of target computers;

sending at least one download controlling message from said source computer to at least one of said plurality of target computers, said download controlling message being usable to control downloading of said computer file by said at least one of said plurality of target computers in dependence upon said download controlling message, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses; and

adjusting said downloading controlling message in dependence upon said demand level;

wherein said download controlling message is sent from said source computer to said target computers, in order to control the manner in which said target computers request said downloading of said computer file;

wherein said download controlling message includes a broadcast message, said method comprising the steps of:

issuing said broadcast message from said source computer to said plurality of target computers indicating availability of said computer file for download from said source computer, said broadcast message including the at least one download qualifying parameter that controls whether or not a target computer that receives said broadcast message and does not already have said computer file qualifies to download said computer file from said source computer in response to said broadcast message;

monitoring how many target computers download said computer file in response to said broadcast message; and

adjusting at least one download qualifying parameter used in a following broadcast message issued by said source computer in dependence upon how many target computers downloaded said computer file in response to said broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter

generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program.

17. – 18. (Cancelled)

19. (Currently Amended) A method of downloading a computer file from a source computer to a target computer via a computer network, said method comprising the steps of:

receiving at said target computer a download controlling message from said source computer, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses; and

controlling sending of download requests from said target computer to said source computer in dependence upon said download controlling message;

wherein said download controlling message is sent from said source computer to a plurality of said target computers, in order to control the manner in which said target computers request said downloading of said computer file;

wherein said download controlling message is a broadcast message, said method comprising the steps of:

receiving said broadcast message from said source computer at said target computer, said broadcast message indicating availability of said computer file for download from said source computer and including the at least one download qualifying parameter;

determining whether or not said target computer already has said computer file;

if said target computer does not already have said computer file, then determining in dependence upon said at least one download qualifying parameter whether or not said target computer qualifies to download said computer file in response to said broadcast message;

if said target computer qualifies to download said computer file in response to said broadcast message, then downloading said computer file from said source computer to said target computer; and

if said target computer does not qualify to download said computer file, then waiting for a next broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program.

20. – 21. (Cancelled)

22. (Currently Amended) Apparatus for distributing a computer file from a source computer to a plurality of target computers via a computer network, said apparatus comprising:

first determining logic operable to determine a demand level upon said source computer for downloading of said computer file to said plurality of target computers;

transmitting logic operable to send at least one download controlling message from said source computer to at least one of said plurality of target computers, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses;

a controller operable to control downloading of said computer file by said at least one of said plurality of target computers in dependence upon said download controlling message; and

adjusting logic operable to adjust said downloading controlling message in dependence upon said demand level;

wherein said download controlling message is sent from said source computer to said target computers, in order to control the manner in which said target computers download said computer file;

wherein said download controlling message includes a broadcast message, said apparatus comprising:

NAI1P160/00.110.01

8

broadcasting logic operable to issue a broadcast message from said source computer to said plurality of target computers indicating availability of said computer file for download from said source computer, said broadcast message including the at least one download qualifying parameter;

a receiver operable to receive said broadcast message at said plurality of target computer;

second determining logic operable to determine for each target computer of said plurality of target computers that received said broadcast message whether or not said target computer already has said computer file;

third determining logic operable to determine for each target computer that does not already have said computer file in dependence upon said at least one download qualifying parameter whether or not said target computer qualifies to download said computer file in response to said broadcast message;

downloading logic operable to download said computer file from said source computer to those target computers that do not already have said computer file and that qualify to download said computer file;

monitoring logic operable to monitor how many target computers download said computer file in response to said broadcast message; and

adjusting logic operable to adjust an at least one download parameter used in a following broadcast message issued by said source computer in dependence upon how many target computers downloaded said computer file in response to said broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program.

23. – 25. (Cancelled)

26. (Currently Amended) Apparatus as claimed in claim 23~~2~~, wherein said at least one download qualifying parameter is adjusted such that a number of target computers downloading said computer file in response to said broadcast message does not exceed a threshold level.

27. (Currently Amended) Apparatus as claimed in claim 23~~2~~, wherein each target computer has a priority level parameter indicating a position within a priority hierarchy and said at least one download qualifying parameter specifies which priority level parameters a target computer must have to qualify to download said computer file.

28. -30. (Cancelled)

31. (Currently Amended) Apparatus as claimed in claim 23~~2~~, wherein said broadcast message includes a network address of said source computer.

32. – 34. (Cancelled)

35. (Original) Apparatus as claimed in claim 22, wherein at least portions of said computer network comprise internet network links.

NAI1P160/00.110.01

10

36. (Cancelled)

37. (Currently Amended) A source computer for sending a computer file to a plurality of target computers via a computer network, said source computer comprising:

determining logic operable to determine a demand level upon said source computer for downloading of said computer file to said plurality of target computers;
transmitting logic operable to send at least one download controlling message from said source computer to at least one of said plurality of target computers, said download controlling message being usable to control downloading of said computer file by said at least one of said plurality of target computers in dependence upon said download controlling message, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses; and
adjusting logic operable to adjust said downloading controlling message in dependence upon said demand level;

wherein said download controlling message is sent from said source computer to said target computers, in order to control the manner in which said target computers download said computer file;

wherein said download controlling message includes a broadcast message, said source computer comprising:

broadcast transmitting logic operable to issue said broadcast message from said source computer to said plurality of target computers indicating availability of said computer file for download from said source computer, said broadcast message including the at least one download qualifying parameter that controls whether or not a target computer that receives said broadcast message and does not already have said computer file qualifies to download said computer file from said source computer in response to said broadcast message;

NAIIP160/00.110.01

11

monitoring logic operable to monitor how many target computers download said computer file in response to said broadcast message; and

parameter adjusting logic operable to adjust an at least one download qualifying parameter used in a following broadcast message issued by said source computer in dependence upon how many target computers downloaded said computer file in response to said broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program.

38. – 39. (Cancelled)

40. (Currently Amended) A target computer for downloading a computer file from a source computer to a target computer via a computer network, said target computer comprising:

a receiver operable to receive a download controlling message from said source computer, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that

NA11P160/00.110.01

12

a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses; and

a controller operable to control sending of download requests from said target computer to said source computer in dependence upon said download controlling message;

wherein said download controlling message is sent from said source computer to said target computer, in order to control the manner in which said target computer requests said downloading of said computer file;

wherein said download controlling message is a broadcast message, said target computer comprising:

a broadcast receiver operable to receive said broadcast message from said source computer at said target computer, said broadcast message indicating availability of said computer file for download from said source computer and including the at least one download qualifying parameter;

first determining logic operable to determine whether or not said target computer already has said computer file;

second determining logic operable if said target computer does not already have said computer file, to determine in dependence upon said at least one download qualifying parameter whether or not said target computer qualifies to download said computer file in response to said broadcast message;

third determining logic operable if said target computer qualifies to download said computer file in response to said broadcast message, to download said computer file from said source computer to said target computer and operable if said target computer does not qualify to download said computer file, to wait for a next broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program

41. – 42. (Cancelled)

43. (Currently Amended) A computer program product carrying a computer program for controlling a computer to distribute a computer file from a source computer to a plurality of target computers via a computer network, said computer program product comprising:

first determining code operable to determine a demand level upon said source computer for downloading of said computer file to said plurality of target computers;

transmitting code operable to send at least one download controlling message from said source computer to at least one of said plurality of target computers, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses;

a controller operable to control downloading of said computer file by said at least one of said plurality of target computers in dependence upon said download controlling message; and

adjusting code operable to adjust said downloading controlling message in dependence upon said demand level;

wherein said download controlling message is sent from said source computer to said target computers, in order to control the manner in which said target computers download said computer file;

wherein said download controlling message includes a broadcast message, said computer program product comprising:

broadcasting code operable to issue a broadcast message from said source computer to said plurality of target computers indicating availability of said computer file for download from said source computer, said broadcast message including the at least one download qualifying parameter;

receiver logic operable to receive said broadcast message at said plurality of target computer;

second determining code operable to determine for each target computer of said plurality of target computers that received said broadcast message whether or not said target computer already has said computer file;

third determining code operable to determine for each target computer that does not already have said computer file in dependence upon said at least one download qualifying parameter whether or not said target computer qualifies to download said computer file in response to said broadcast message;

downloading code operable to download said computer file from said source computer to those target computers that do not already have said computer file and that qualify to download said computer file;

monitoring code operable to monitor how many target computers download said computer file in response to said broadcast message; and

adjusting code operable to adjust at least one download parameter used in a following broadcast message issued by said source computer in dependence upon how

many target computers downloaded said computer file in response to said broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program.

44. – 46. (Cancelled)

47. (Currently Amended) A computer program product as claimed in claim 44³, wherein said at least one download qualifying parameter is adjusted such that a number of target computers downloading said computer file in response to said broadcast message does not exceed a threshold level.

48. (Currently Amended) A computer program product as claimed in claim 44³, wherein each target computer has a priority level parameter indicating a position within a priority hierarchy and said at least one download qualifying parameter specifies which priority level parameters a target computer must have to qualify to download said computer file.

49. – 51. (Cancelled)

52. (Currently Amended) A computer program product as claimed in claim 443, wherein said broadcast message includes a network address of said source computer.

53. – 55. (Cancelled)

56. (Original) A computer program product as claimed in claim 43, wherein at least portions of said computer network comprise internet network links.

57. (Cancelled)

58. (Currently Amended) A computer program product for controlling a source computer to send a computer file to a plurality of target computers via a computer network, said computer program product comprising:

determining code operable to determine a demand level upon said source computer for downloading of said computer file to said plurality of target computers;

transmitting code operable to send at least one download controlling message from said source computer to at least one of said plurality of target computers, said download controlling message being usable to control downloading of said computer file by said at least one of said plurality of target computers in dependence upon said download controlling message, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses; and

adjusting code operable to adjust said downloading controlling message in dependence upon said demand level;

wherein said download controlling message is sent from said source computer to said target computers, in order to control the manner in which said target computers download said computer file;

wherein said download controlling message includes a broadcast message, said source computer comprising:

broadcast transmitting code operable to issue said broadcast message from said source computer to said plurality of target computers indicating availability of said computer file for download from said source computer, said broadcast message including the at least one download qualifying parameter that controls whether or not a target computer that receives said broadcast message and does not already have said computer file qualifies to download said computer file from said source computer in response to said broadcast message;

monitoring code operable to monitor how many target computers download said computer file in response to said broadcast message; and

parameter adjusting code operable to adjust an at least one download qualifying parameter used in a following broadcast message issued by said source computer in dependence upon how many target computers downloaded said computer file in response to said broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program.

59. – 60. (Cancelled)

61. (Currently Amended) A computer program product for controlling a target computer to download a computer file from a source computer to a target computer via a computer network, said computer program product comprising:

receiver code operable to receive a download controlling message from said source computer, the download controlling message including at least one download qualifying parameter, wherein said at least one download qualifying parameter is adjusted such that a probability that a particular target computer will qualify to download said computer file on the basis of said at least one download qualifying parameter increases as time progresses, wherein a number of target computers not having said computer file decreases as time progresses; and

control code operable to control sending of download requests from said target computer to said source computer in dependence upon said download controlling message;

wherein said download controlling message is sent from said source computer to said target computer, in order to control the manner in which said target computer requests said downloading of said computer file;

wherein said download controlling message is a broadcast message, said computer program product comprising:

broadcast receiver code operable to receive said broadcast message from said source computer at said target computer, said broadcast message indicating availability of said computer file for download from said source computer and including the at least one download qualifying parameter:

first determining code operable to determine whether or not said target computer already has said computer file;

NAI1P160/00.110.01

19

second determining code operable if said target computer does not already have said computer file, to determine in dependence upon said at least one download qualifying parameter whether or not said target computer qualifies to download said computer file in response to said broadcast message;

third determining code operable if said target computer qualifies to download said computer file in response to said broadcast message, to download said computer file from said source computer to said target computer and operable if said target computer does not qualify to download said computer file, to wait for a next broadcast message;

wherein said at least one download qualifying parameter includes a random selection control parameter used in combination with a quasi-random parameter generated by a particular target computer to control whether or not said particular target computer qualifies to download said computer file;

wherein said broadcast message includes time range data specifying a range of times within which target computers qualifying to download said computer file in response to said broadcast message should download said computer file;

wherein each target computer that qualifies to download said target file in response to said broadcast message initiates downloading at a time quasi-randomly selected within said range of time;

wherein a target computer that has downloaded said computer file subsequently acts as a source computer;

wherein upon receipt of said computer file said target computer issues prompts seeking user input specifying how said computer file should be used;

wherein said computer file is a virus definition data file for use by an anti-virus computer program.

62. – 63. (Cancelled)